



Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4140 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDs/4LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*30*13(T:4.5cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	Double row LED Emergency Vehicle Lightbar
Model Number:	HS-6140 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDs/6LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*30*13(T:4.5cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4120 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDs/4LED Module
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31*11.8(T:5.4cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4121 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/4LED Module
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31*14.5(T:8.4cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-3130 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/3LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31.3*12.8(T:7.3cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-8130 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/8LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31.3*12.8(T:7.3cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-6132 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/6LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	127*32.5*12.6(T:6.8cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4141 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/4LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*30.5*12.5(T:5cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-6146
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDS/6LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	124*32*11cm (T:3.6cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4143
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDs/4LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	116*28.4*8.6cm (T:3.6cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4123 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDs/4LED Module
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Engineering plastic and Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	127*30*13.6(T:6.7cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4124 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDs/ 4LED Module
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Engineering plastic and Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP66
Working Temperature:	-45 to +65 degree
Size(L/W/H):	126.9*30.5*12.7(T:6.6cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**




Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-12142 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS Module/12LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP66
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*30.5*17.5(T:10cm)CM: (Length Optional)
Installation:	Bracket with Hook




Picture/ Diagrams:**Technical parameters:**




Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4132 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDS/4LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*26*13(T:5.5cm)CM: (Length Optional)
Installation:	Bracket with Hook


Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4134/ Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDS/4LED Module
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31*12.8(T:6.8cm)CM: (Length Optional)
Installation:	Bracket with Hook


Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-6131 / Can With 100W Speaker</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/6LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*25*11.5(T:5.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-6131 / Can With 100W Speaker	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/6LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*25*11.5(T:5.5cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-6131 / Can With 100W Speaker																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/6LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*25*11.5(T:5.5cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-4148</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDS/4LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>103.5*12*11(T:4.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-4148	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W or 3W LEDS/4LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	103.5*12*11(T:4.1cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-4148																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W or 3W LEDS/4LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	103.5*12*11(T:4.1cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-6148</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDS/4LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>103.5*11*10(T:2.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-6148	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W or 3W LEDS/4LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	103.5*11*10(T:2.1cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-6148																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W or 3W LEDS/4LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	103.5*11*10(T:2.1cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-8140</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*30*14(T:7.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-8140	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*30*14(T:7.8cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-8140																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*30*14(T:7.8cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-12140</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*30*14(T:7.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-12140	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*30*14(T:7.8cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-12140																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*30*14(T:7.8cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-8136</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>103.5*11*10(T:2.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-8136	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	103.5*11*10(T:2.1cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-8136																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	103.5*11*10(T:2.1cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										


Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-12132</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>127*32.5*15(T:8.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-12132	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	127*32.5*15(T:8.5cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-12132																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	127*32.5*15(T:8.5cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-6134</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>3W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120.4*32.5*17.5(T:9cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-6134	Voltage:	DC12V/DC24V/DC12-24V	Light source:	3W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120.4*32.5*17.5(T:9cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-6134																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	3W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120.4*32.5*17.5(T:9cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Double row LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-3342</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>3W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*31*15.5(T:8.45cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	Double row LED Emergency Vehicle Lightbar	Model Number:	HS-3342	Voltage:	DC12V/DC24V/DC12-24V	Light source:	3W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*31*15.5(T:8.45cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	Double row LED Emergency Vehicle Lightbar																										
Model Number:	HS-3342																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	3W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*31*15.5(T:8.45cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-3320 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	3W LEDS/3LED Module/108W
LED/Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	117.6*33.8*16.3(T:10cm)CM(Length Optional)
Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar

Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-3323 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	3W LEDS/3LED Module/108W
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	121*30*136(T:5.4cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-3330
Voltage:	DC12V/DC24V/DC12-24V
Light source:	3W LEDS/3LED Module/108W
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	117*30.6*135(T:6.5cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-6330
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W or 3W LEDs
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	11.05*16*7.7(T:2.7cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Displayer warning lightbar
Model Number:	HS-1040D / can with speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	ø5 LEDs
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch/LED Displayer:	Multi function controller/Signal programmable
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*31.2*16.5(T:11.7cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	Double row LED Emergency Vehicle Lightbar
Model Number:	HS-9140 / can with speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDs
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black/White
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*32*17(T:11cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-64120 / Can With Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/4LED and 4LED Module/132W
LED color:	Red/Blue/Amber/White/Green
Cover color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*32*20.5(T:14cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4320 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	3W LEDS/3LED Module/192W
LED color:	Red/Blue/Amber/White/Green
Cover color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/Aluminum Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*33.8*12.6(T:4.5cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-4122 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS/4LED Module
LED color:	Red/Blue/Amber/White/Green
Lens color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*38.5*13.5(T:9cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-6120 / Can With 100W Speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS
LED color:	Red/Blue/Amber/White/Green
Cover color:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple(20pcs) or Customized
Waterproof:	IP65 Lightbar/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*45*14.4(T:8cm)CM(Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED V7 warning lightbar with Beacons
Model Number:	HS-V7000
Voltage:	DC12V/DC24V/DC12-24V
Light source:	1W LEDS
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black
Materials:	Strengthened steel body/PC Lens Beacons
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67 Beacons
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*70*23(T:16cm)CM
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	LED V7 warning lightbar with Beacons
Model Number:	HS-V7100
Voltage:	DC12V/DC24V/DC12-24V
Light source:	3W LEDS
LED/Lens color:	Red/Blue/Amber/White/Green
Body colors:	Silvery/Black
Materials:	Strengthened steel body/PC Lens Beacons
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar/IP67 Beacons
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*45*22(T:15cm)CM
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**



Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-1020
Voltage:	DC12V/DC24V/DC12-24V
Light source:	ø5 LEDs
LED color:	Red/Blue/Amber/White/Green
Cover colors:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Multiple or Customized
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*45*14.4(T:8cm)CM(Length Optional)
Installation:	Bracket with Hook


Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-1022 / Can with speaker
Voltage:	DC12V/DC24V/DC12-24V
Light source:	ø5 LEDs
LED color:	Red/Blue/Amber/White/Green
Cover colors:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	121.4*29.6*19.5(T:12.5cm)CM: (Length Optional)
Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar


Picture/ Diagrams:**Technical parameters:**

Type:	LED Emergency Vehicle Lightbar
Model Number:	HS-1024
Voltage:	DC12V/DC24V/DC12-24V
Light source:	ø5 LEDs
LED color:	Red/Blue/Amber/White/Green
Cover colors:	Red/Blue/Amber/White/Green
Materials:	PC Dome/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	128*30.8*21(T:14.5cm)CM: (Length Optional)
Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar


Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-1021 / Can with speaker</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>ø5 LEDs</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Cover colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/ Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>121*36*22(T:15.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-1021 / Can with speaker	Voltage:	DC12V/DC24V/DC12-24V	Light source:	ø5 LEDs	LED color:	Red/Blue/Amber/White/Green	Cover colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/ Aluminum alloy Base	Switch:	Multi function controller/Wire trigger controls flash	Waterproof:	IP65 Lightbar	Working Temperature:	-45 to +65 degree	Size(L/W/H):	121*36*22(T:15.5cm)CM: (Length Optional)	Installation:	Bracket with Hook		
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-1021 / Can with speaker																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	ø5 LEDs																										
LED color:	Red/Blue/Amber/White/Green																										
Cover colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/ Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger controls flash																										
Waterproof:	IP65 Lightbar																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	121*36*22(T:15.5cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-1012 / Can with speaker</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>ø5 LEDs / Halogen Bulb</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Cover colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/ Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*33.5*22(T:15.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> <tr><td>Type:</td><td>LED Displayer warning lightbar</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-1012 / Can with speaker	Voltage:	DC12V/DC24V/DC12-24V	Light source:	ø5 LEDs / Halogen Bulb	LED color:	Red/Blue/Amber/White/Green	Cover colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/ Aluminum alloy Base	Switch:	Multi function controller/Wire trigger controls flash	Waterproof:	IP65 Lightbar	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*33.5*22(T:15.5cm)CM: (Length Optional)	Installation:	Bracket with Hook	Type:	LED Displayer warning lightbar
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-1012 / Can with speaker																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	ø5 LEDs / Halogen Bulb																										
LED color:	Red/Blue/Amber/White/Green																										
Cover colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/ Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger controls flash																										
Waterproof:	IP65 Lightbar																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*33.5*22(T:15.5cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										
Type:	LED Displayer warning lightbar																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Lightbar</td></tr> <tr><td>Model Number:</td><td>HS-1042 / can with speaker</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>ø5 LEDs</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>120*31.2*18.5(T:12.7cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Lightbar	Model Number:	HS-1042 / can with speaker	Voltage:	DC12V/DC24V/DC12-24V	Light source:	ø5 LEDs	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	120*31.2*18.5(T:12.7cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Lightbar																										
Model Number:	HS-1042 / can with speaker																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	ø5 LEDs																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	120*31.2*18.5(T:12.7cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										

Picture/ Diagrams:**Technical parameters:**


Type:	Halogen rotators Vehicle Lightbar
Model Number:	HS-1522
Voltage:	DC12V/DC24V
Light source:	23W/35W/55W Halogen
Lightbar Middle:	Halogen or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Cover/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	rotating
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	121.4*33.5*19.5(T:12.5cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	Halogen rotators Vehicle Lightbar
Model Number:	HS-1524
Voltage:	DC12V/DC24V
Light source:	23W/35W/55W Halogen
Lightbar Middle:	Rotator or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Cover/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	rotating
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	121.4*33.5*19.5(T:12.5cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**


Type:	Halogen rotators Vehicle Lightbar
Model Number:	HS-1520
Voltage:	DC12V/DC24V
Light source:	23W/35W/55W Halogen
Lightbar Middle:	Rotator or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Cover/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	rotating
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*39.6*21.5(T:15cm)CM: (Length Optional)
Installation:	Bracket with Hook

Picture/ Diagrams:**Technical parameters:**




Type:	Halogen rotators Vehicle Lightbar
Model Number:	HS-1525
Voltage:	DC12V/DC24V
Light source:	23W/35W/55W Halogen
Lightbar Middle:	Rotator, Halogen or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Cover/ Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	rotating
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*33.5*22(T:16.5cm)CM: (Length Optional)
Installation:	Bracket with Hook




Picture/ Diagrams:**Technical parameters:**




Type:	Xenon Strobe Vehicle Lightbar
Model Number:	HS-1420
Voltage:	DC12V/DC24V
Light source:	Strobe xenon Bulb / Halogen Bulb
Lightbar Middle:	Strobe xenon, Halogen or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Cover/Aluminum alloy Base
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Strobe or Customized
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	120*33.5*22(T:16.5cm)CM: (Length Optional)
Installation:	Bracket with Hook




Picture/ Diagrams:**Technical parameters:**




Type:	Xenon Strobe Vehicle Lightbar
Model Number:	HS-1540
Voltage:	DC12V/DC24V
Light source:	Strobe xenon Bulb / Halogen Bulb
Lightbar Middle:	Strobe xenon, Halogen or Speaker
Lens colors:	Red/Blue/Amber/White/Green
Materials:	Aluminum alloy body/PC Lens
Switch:	Multi function controller/Wire trigger controls flash
Flash pattern:	Strobe or Customized
Waterproof:	IP65 Lightbar
Working Temperature:	-45 to +65 degree
Size(L/W/H):	122*30.5*17(T:9.5cm)CM: (Length Optional)
Installation:	Bracket with Hook




Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-632</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>78*31.7*9.8(T:6.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-632	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	78*31.7*9.8(T:6.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-632																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	78*31.7*9.8(T:6.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-440</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDS/4LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>73.5*31*9.6(T:3.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-440	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W or 3W LEDS/4LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	73.5*31*9.6(T:3.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-440																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W or 3W LEDS/4LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	73.5*31*9.6(T:3.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-640</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>73.5*31*9.6(T:3.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-640	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W or 3W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	73.5*31*9.6(T:3.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-640																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W or 3W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	73.5*31*9.6(T:3.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										




Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-646</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>72*31*9(T:3.6cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-646	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	72*31*9(T:3.6cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-646																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	72*31*9(T:3.6cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-330</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/3LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-330	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/3LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-330																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/3LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-830</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/8LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-830	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/8LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-830																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/8LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	64.6*31.3*8.7(T:6.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										



Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-441</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>71*30.5*9.8(T:5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-441	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	71*30.5*9.8(T:5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-441																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	71*30.5*9.8(T:5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-432</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS /4LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>67*26*8.5(T:5.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-432	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS /4LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	67*26*8.5(T:5.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-432																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS /4LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	67*26*8.5(T:5.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-420</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/14pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>61*31*9(T:5.4cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-420	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/14pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	61*31*9(T:5.4cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-420																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/14pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	61*31*9(T:5.4cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										




Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-424</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/14pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>69.5*30.5*9.8(T:6.6cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-424	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/14pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	69.5*30.5*9.8(T:6.6cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-424																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/14pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	69.5*30.5*9.8(T:6.6cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-1242</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS /4LED Module/12pcs LED Modules</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>56.8*30*98(T:5.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-1242	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS /4LED Module/12pcs LED Modules	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	56.8*30*98(T:5.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-1242																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS /4LED Module/12pcs LED Modules																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	56.8*30*98(T:5.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-633B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS /6LED Module/10pcs LED Modules</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>58*34.5*10(T:5.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-633B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS /6LED Module/10pcs LED Modules	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	58*34.5*10(T:5.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-633B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS /6LED Module/10pcs LED Modules																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	58*34.5*10(T:5.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										



Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-436B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDS /4LED Module/6pcs LED Modules</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*22*8.5(T:6.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-436B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W or 3W LEDS /4LED Module/6pcs LED Modules	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*22*8.5(T:6.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-436B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W or 3W LEDS /4LED Module/6pcs LED Modules																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*22*8.5(T:6.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-430B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS /4LED Module/10pcs LED Modules</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>38*31.3*8.7(T:7.3cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-430B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS /4LED Module/10pcs LED Modules	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	38*31.3*8.7(T:7.3cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-430B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS /4LED Module/10pcs LED Modules																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	38*31.3*8.7(T:7.3cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-634B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS /6LED Module/10pcs LED Modules</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>52*31*9(T:6.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-634B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS /6LED Module/10pcs LED Modules	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	52*31*9(T:6.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-634B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS /6LED Module/10pcs LED Modules																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	52*31*9(T:6.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										




Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-423B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/14pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>58.7*30*9.8(T:6.7cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-423B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/14pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	58.7*30*9.8(T:6.7cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-423B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/14pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	58.7*30*9.8(T:6.7cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-427</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/6pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>31.2*16.1*7.4(T:6.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-427	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/6pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	31.2*16.1*7.4(T:6.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-427																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/6pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	31.2*16.1*7.4(T:6.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-425</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/6LED Module/6pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>35*21*7.5(T:6.8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-425	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/6LED Module/6pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	35*21*7.5(T:6.8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-425																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/6LED Module/6pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	35*21*7.5(T:6.8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										




Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-426</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/6pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>29.9*17.5*6.2(T:5.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-426	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/6pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	29.9*17.5*6.2(T:5.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-426																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/6pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	29.9*17.5*6.2(T:5.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-331</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>3W LEDS/3LED Module/8pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>45*30*7.8(T:6.3cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-331	Voltage:	DC12V/DC24V/DC12-24V	Light source:	3W LEDS/3LED Module/8pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	45*30*7.8(T:6.3cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-331																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	3W LEDS/3LED Module/8pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	45*30*7.8(T:6.3cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-183</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>3W LEDS/18LED Beacon / 2pcs Beacons</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>45*30*7.8(T:6.3cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-183	Voltage:	DC12V/DC24V/DC12-24V	Light source:	3W LEDS/18LED Beacon / 2pcs Beacons	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	45*30*7.8(T:6.3cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-183																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	3W LEDS/18LED Beacon / 2pcs Beacons																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	45*30*7.8(T:6.3cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										



Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-401B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/4and3LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>44*21.5*7.9(T:6.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-401B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDs/4and3LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-401B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDs/4and3LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-401</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/4LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>44*21.5*7.9(T:6.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-401	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDs/4LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-401																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDs/4LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-601</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/6LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>44*21.5*7.9(T:6.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-601	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDs/6LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-601																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDs/6LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	44*21.5*7.9(T:6.1cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										


Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-328</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/3LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*27.7*8.3(T:6.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-328	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/3LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*27.7*8.3(T:6.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-328																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/3LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*27.7*8.3(T:6.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-628</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/6LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*27.7*8.3(T:6.5cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-628	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/6LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*27.7*8.3(T:6.5cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-628																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/6LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*27.7*8.3(T:6.5cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-402</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/2LED Module/22pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*22*9.5(T:8cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-402	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/2LED Module/22pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Base	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*22*9.5(T:8cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-402																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/2LED Module/22pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Base																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*22*9.5(T:8cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-650</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/6LED Module/6pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Body</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>43*31.3*8.5(T:6.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-650	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/6LED Module/6pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Body	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	43*31.3*8.5(T:6.1cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-650																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/6LED Module/6pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Body																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	43*31.3*8.5(T:6.1cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-450B</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module/10pcs LED Modules</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Dome/Aluminum alloy Body</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Multiple or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>43*28.4*5.6(T:3.6cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-450B	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module/10pcs LED Modules	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Dome/Aluminum alloy Body	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Multiple or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	43*28.4*5.6(T:3.6cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-450B																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module/10pcs LED Modules																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Dome/Aluminum alloy Body																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Multiple or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	43*28.4*5.6(T:3.6cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-448</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12-24V</td></tr> <tr><td>Light source:</td><td>1W LEDS/4LED Module</td></tr> <tr><td>LED/Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Body colors:</td><td>Silvery/Black/White</td></tr> <tr><td>Materials:</td><td>Aluminum alloy body/PC Lens</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>56*12*11(T:4.1cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Bracket with Hook</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-448	Voltage:	DC12V/DC24V/DC12-24V	Light source:	1W LEDS/4LED Module	LED/Lens color:	Red/Blue/Amber/White/Green	Body colors:	Silvery/Black/White	Materials:	Aluminum alloy body/PC Lens	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	56*12*11(T:4.1cm)CM: (Length Optional)	Installation:	Bracket with Hook
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-448																										
Voltage:	DC12V/DC24V/DC12-24V																										
Light source:	1W LEDS/4LED Module																										
LED/Lens color:	Red/Blue/Amber/White/Green																										
Body colors:	Silvery/Black/White																										
Materials:	Aluminum alloy body/PC Lens																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	56*12*11(T:4.1cm)CM: (Length Optional)																										
Installation:	Bracket with Hook																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-204</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>40*18*14.5CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-204	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs	Materials:	PC Dome/ Engineering plastic and Aluminum Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	40*18*14.5CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-204																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs																										
Materials:	PC Dome/ Engineering plastic and Aluminum Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	40*18*14.5CM																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-200</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*20.7*14.9CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-200	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs	Materials:	PC Dome/ Engineering plastic and Aluminum Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*20.7*14.9CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-200																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs																										
Materials:	PC Dome/ Engineering plastic and Aluminum Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*20.7*14.9CM																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-202</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>40.3*19.9*13.4CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-202	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs	Materials:	PC Dome/ Engineering plastic and Aluminum Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	40.3*19.9*13.4CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-202																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs																										
Materials:	PC Dome/ Engineering plastic and Aluminum Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	40.3*19.9*13.4CM																										
Installation:	Magnetic installation																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-201</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs/2pcs Halogen Bulb</td></tr> <tr><td>Materials:</td><td>PC Dome/ Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>60*30*17CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-201	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs/2pcs Halogen Bulb	Materials:	PC Dome/ Aluminum alloy Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	60*30*17CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-201																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs/2pcs Halogen Bulb																										
Materials:	PC Dome/ Aluminum alloy Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	60*30*17CM																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-203</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs/2pcs Halogen Bulb</td></tr> <tr><td>Materials:</td><td>PC Dome/ Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>50*27*14CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-203	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs/2pcs Halogen Bulb	Materials:	PC Dome/ Aluminum alloy Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	50*27*14CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-203																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs/2pcs Halogen Bulb																										
Materials:	PC Dome/ Aluminum alloy Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	50*27*14CM																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-205</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>55W/75W H1 Halogen Bulb</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Aluminum alloy Base</td></tr> <tr><td>Switch:</td><td>Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>50*27*14CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-205	Voltage:	DC12V/DC24V	Light source:	55W/75W H1 Halogen Bulb	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	2pcs	Materials:	PC Dome/ Aluminum alloy Base	Switch:	Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	50*27*14CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-205																										
Voltage:	DC12V/DC24V																										
Light source:	55W/75W H1 Halogen Bulb																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	2pcs																										
Materials:	PC Dome/ Aluminum alloy Base																										
Switch:	Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	50*27*14CM																										
Installation:	Magnetic installation																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>Halogen rotators V3 Vehicle Mini Lightbar</td></tr> <tr><td>c</td><td>HSM-V30</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>23W/35W/55W Halogen</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Rotator Module Set:</td><td>3pcs</td></tr> <tr><td>Materials:</td><td>Strengthened steel body/PC Lens Beacons</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger/Cigar Lighter</td></tr> <tr><td>Flash pattern:</td><td>Rotating</td></tr> <tr><td>Waterproof:</td><td>IP65 Lightbar/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>45*20*7.8(T:6.3cm)CM: (Length Optional)</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	Halogen rotators V3 Vehicle Mini Lightbar	c	HSM-V30	Voltage:	DC12V/DC24V	Light source:	23W/35W/55W Halogen	Lens color:	Red/Blue/Amber/White/Green	Rotator Module Set:	3pcs	Materials:	Strengthened steel body/PC Lens Beacons	Switch:	Multi function controller/Wire trigger/Cigar Lighter	Flash pattern:	Rotating	Waterproof:	IP65 Lightbar/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	45*20*7.8(T:6.3cm)CM: (Length Optional)	Installation:	Magnetic installation
Type:	Halogen rotators V3 Vehicle Mini Lightbar																										
c	HSM-V30																										
Voltage:	DC12V/DC24V																										
Light source:	23W/35W/55W Halogen																										
Lens color:	Red/Blue/Amber/White/Green																										
Rotator Module Set:	3pcs																										
Materials:	Strengthened steel body/PC Lens Beacons																										
Switch:	Multi function controller/Wire trigger/Cigar Lighter																										
Flash pattern:	Rotating																										
Waterproof:	IP65 Lightbar/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	45*20*7.8(T:6.3cm)CM: (Length Optional)																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-221</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Beacon Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>40*18*14.5CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-221	Voltage:	DC12V/DC24V	Light source:	1W LEDS	Lens color:	Red/Blue/Amber/White/Green	Beacon Set:	2pcs	Materials:	PC Dome/ Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	40*18*14.5CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-221																										
Voltage:	DC12V/DC24V																										
Light source:	1W LEDS																										
Lens color:	Red/Blue/Amber/White/Green																										
Beacon Set:	2pcs																										
Materials:	PC Dome/ Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	40*18*14.5CM																										
Installation:	Magnetic installation																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Emergency Vehicle Mini Lightbar</td></tr> <tr><td>Model Number:</td><td>HSM-220</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V</td></tr> <tr><td>Light source:</td><td>1W LEDS</td></tr> <tr><td>Lens color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Beacon Set:</td><td>2pcs</td></tr> <tr><td>Materials:</td><td>PC Dome/ Engineering plastic and Aluminum Base</td></tr> <tr><td>Switch:</td><td>Multi function controller/Wire trigger controls flash</td></tr> <tr><td>Flash pattern:</td><td>Multiple(20pcs) or Customized</td></tr> <tr><td>Waterproof:</td><td>IP66</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>42*20.7*14.9CM</td></tr> <tr><td>Installation:</td><td>Magnetic installation</td></tr> </table>	Type:	LED Emergency Vehicle Mini Lightbar	Model Number:	HSM-220	Voltage:	DC12V/DC24V	Light source:	1W LEDS	Lens color:	Red/Blue/Amber/White/Green	Beacon Set:	2pcs	Materials:	PC Dome/ Engineering plastic and Aluminum Base	Switch:	Multi function controller/Wire trigger controls flash	Flash pattern:	Multiple(20pcs) or Customized	Waterproof:	IP66	Working Temperature:	-45 to +65 degree	Size(L/W/H):	42*20.7*14.9CM	Installation:	Magnetic installation
Type:	LED Emergency Vehicle Mini Lightbar																										
Model Number:	HSM-220																										
Voltage:	DC12V/DC24V																										
Light source:	1W LEDS																										
Lens color:	Red/Blue/Amber/White/Green																										
Beacon Set:	2pcs																										
Materials:	PC Dome/ Engineering plastic and Aluminum Base																										
Switch:	Multi function controller/Wire trigger controls flash																										
Flash pattern:	Multiple(20pcs) or Customized																										
Waterproof:	IP66																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	42*20.7*14.9CM																										
Installation:	Magnetic installation																										

Picture/ Diagrams:**Technical parameters:**




Type:	LED Visor Windshield Lights
Model Number:	HV-610
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	1W LEDs/6LED/10pcs LED Modules/Total 60W
LED color:	Red/Blue/Amber/White/Green
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Lens/Plastic Housing
Switch:	Rear controls with LED display/Cigar Lighter on-off
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	450*158*40mm/1pc
Installation:	Universal visor brackets




Picture/ Diagrams:**Technical parameters:**


Type:	LED Visor Windshield Lights
Model Number:	HV-310
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	1W LEDs/6LED/10pcs LED Modules/Total 30W
LED color:	Red/Blue/Amber/White/Green
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Lens/Plastic Housing
Switch:	Rear controls with LED display/Cigar Lighter on-off
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	450*158*40mm/1pc
Installation:	Universal visor brackets

Picture/ Diagrams:**Technical parameters:**


Type:	LED Visor Windshield Lights
Model Number:	HV-418
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	1W LEDs/4LED/8pcs LED Modules/Total 32W
LED color:	Red/Blue/Amber/White/Green
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Lens/Plastic Housing
Switch:	Rear controls with LED display/Cigar Lighter on-off
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	450*158*40mm/1pc
Installation:	Universal visor brackets

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-408</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/4LED/8pcs LED Modules/Total 32W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>470*128*40mm/1pc</td></tr> <tr><td>Installation:</td><td>Universal visor brackets</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-408	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/4LED/8pcs LED Modules/Total 32W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	470*128*40mm/1pc	Installation:	Universal visor brackets
Type:	LED Visor Windshield Lights																										
Model Number:	HV-408																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/4LED/8pcs LED Modules/Total 32W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	470*128*40mm/1pc																										
Installation:	Universal visor brackets																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-301</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/3LED/10pcs LED Modules/Total 30W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>490*128*40mm/1pc</td></tr> <tr><td>Installation:</td><td>Universal visor brackets</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-301	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/3LED/10pcs LED Modules/Total 30W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	490*128*40mm/1pc	Installation:	Universal visor brackets
Type:	LED Visor Windshield Lights																										
Model Number:	HV-301																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/3LED/10pcs LED Modules/Total 30W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	490*128*40mm/1pc																										
Installation:	Universal visor brackets																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-406</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/4LED/6pcs LED Modules/Total 24W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>380*128*40mm/1pc</td></tr> <tr><td>Installation:</td><td>Universal visor brackets</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-406	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/4LED/6pcs LED Modules/Total 24W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	380*128*40mm/1pc	Installation:	Universal visor brackets
Type:	LED Visor Windshield Lights																										
Model Number:	HV-406																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/4LED/6pcs LED Modules/Total 24W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	380*128*40mm/1pc																										
Installation:	Universal visor brackets																										

Picture/ Diagrams:  	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-161</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDs/6LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>210*90*80mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-161	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W or 3W LEDs/6LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	210*90*80mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-161																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W or 3W LEDs/6LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	210*90*80mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams:  	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-262</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>SMD 1W or 3W LEDs/6LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>210*90*80mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-262	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	SMD 1W or 3W LEDs/6LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	210*90*80mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-262																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	SMD 1W or 3W LEDs/6LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	210*90*80mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams:  	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-163</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDs/6LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>128*143*53mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-163	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W or 3W LEDs/6LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	128*143*53mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-163																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W or 3W LEDs/6LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	128*143*53mm																										
Installation:	Suction cup mount																										


Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-141</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDs/4LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>128*143*53mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-141	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W or 3W LEDs/4LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	128*143*53mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-141																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W or 3W LEDs/4LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	128*143*53mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-181</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/8LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>128*143*53mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-181	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/8LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	128*143*53mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-181																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/8LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	128*143*53mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-142</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W or 3W LEDs/4LEDS</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>137*125*120mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-142	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W or 3W LEDs/4LEDS	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	137*125*120mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-142																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W or 3W LEDs/4LEDS																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	137*125*120mm																										
Installation:	Suction cup mount																										

Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-261</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/2*6LEDs/Total 12W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>200*220*46mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-261	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/2*6LEDs/Total 12W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	200*220*46mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-261																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/2*6LEDs/Total 12W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	200*220*46mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-281</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/2*8LEDs/Total 16W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/ Aluminum alloy Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>220*143*55mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-281	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/2*8LEDs/Total 16W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/ Aluminum alloy Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	220*143*55mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-281																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/2*8LEDs/Total 16W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/ Aluminum alloy Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	220*143*55mm																										
Installation:	Suction cup mount																										
Picture/ Diagrams: 	Technical parameters: <table border="1"> <tr><td>Type:</td><td>LED Visor Windshield Lights</td></tr> <tr><td>Model Number:</td><td>HV-291</td></tr> <tr><td>Voltage:</td><td>DC12V/DC24V/DC12V-24V</td></tr> <tr><td>Light source:</td><td>1W LEDs/2*8LEDs/Total 16W</td></tr> <tr><td>LED color:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Lens colors:</td><td>Red/Blue/Amber/White/Green</td></tr> <tr><td>Materials:</td><td>PC Lens/Plastic Housing</td></tr> <tr><td>Switch:</td><td>Cigar Lighter ON-OFF/Flash button beside lights</td></tr> <tr><td>Flash pattern/Settings:</td><td>Multiple or Customized/1-4Hz</td></tr> <tr><td>Waterproof:</td><td>IP65 Lights/IP67(Module)</td></tr> <tr><td>Working Temperature:</td><td>-45 to +65 degree</td></tr> <tr><td>Size(L/W/H):</td><td>275*147*52mm</td></tr> <tr><td>Installation:</td><td>Suction cup mount</td></tr> </table>	Type:	LED Visor Windshield Lights	Model Number:	HV-291	Voltage:	DC12V/DC24V/DC12V-24V	Light source:	1W LEDs/2*8LEDs/Total 16W	LED color:	Red/Blue/Amber/White/Green	Lens colors:	Red/Blue/Amber/White/Green	Materials:	PC Lens/Plastic Housing	Switch:	Cigar Lighter ON-OFF/Flash button beside lights	Flash pattern/Settings:	Multiple or Customized/1-4Hz	Waterproof:	IP65 Lights/IP67(Module)	Working Temperature:	-45 to +65 degree	Size(L/W/H):	275*147*52mm	Installation:	Suction cup mount
Type:	LED Visor Windshield Lights																										
Model Number:	HV-291																										
Voltage:	DC12V/DC24V/DC12V-24V																										
Light source:	1W LEDs/2*8LEDs/Total 16W																										
LED color:	Red/Blue/Amber/White/Green																										
Lens colors:	Red/Blue/Amber/White/Green																										
Materials:	PC Lens/Plastic Housing																										
Switch:	Cigar Lighter ON-OFF/Flash button beside lights																										
Flash pattern/Settings:	Multiple or Customized/1-4Hz																										
Waterproof:	IP65 Lights/IP67(Module)																										
Working Temperature:	-45 to +65 degree																										
Size(L/W/H):	275*147*52mm																										
Installation:	Suction cup mount																										




Type:	LED Visor Windshield Lights
Model Number:	HV-241
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	1W or 3W LEDs/2*4LEDS
LED color:	Red/Blue/Amber/White/Green
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Lens/ Aluminum alloy Housing
Switch:	Cigar Lighter ON-OFF/Flash button beside lights
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	220*143*46.6mm
Installation:	Suction cup mount

Picture/ Diagrams:



Technical parameters:	
Type:	LED Visor Windshield Lights
Model Number:	HV-262
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	1W or 3W LEDs/2*6LEDS
LED color:	Red/Blue/Amber/White/Green
Lens colors:	Red/Blue/Amber/White/Green
Materials:	PC Lens/ Aluminum alloy Housing
Switch:	Cigar Lighter ON-OFF/Flash button beside lights
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	245*143*35mm
Installation:	Suction cup mount

Picture/ Diagrams:



Technical parameters:	
Type:	LED Visor Windshield Lights
Model Number:	HV-102
Voltage:	DC12V/DC24V/DC12V-24V
Light source:	ø5 LEDs
LED color:	Red/Blue/Amber/White/Green
Materials:	Plastic Housing
Switch:	Cigar Lighter ON-OFF/Flash button beside lights
Flash pattern/Settings:	Multiple or Customized/1-4Hz
Waterproof:	IP65 Lights/IP67(Module)
Working Temperature:	-45 to +65 degree
Size(L/W/H):	355*39*37mm
Installation:	Suction cup mount